





Redlerové řetězy
Kratzerförderketten
Scraper chains
Цепи для скребковых транспортеров



ISO Nor. ISO Nr. ISO St. Cr. ISO	p mm									b ₁ mm min.	b ₂ mm max.	b ₃ mm min.	d ₁ mm	d ₂ mm	F mm	g mm	h mm	s mm	l ₂ mm max.	f mm ²	F _B kN min.	F _A kN
Dle DIN 8165 • nach DIN 8165 • to DIN 8165 • согласно DIN 8165																						
FVR 40	50	63	80	100	125	160	-	-	18	24,5	25	10	15	*	26	20	3	55	245	40	5,71	
FVR 63	50	63	80	100	125	160	-	-	22	30,5	31	12	18	*	30	25	4	55	366	63	9,00	
FVR 90	50	63	80	100	125	160	200	250	25	35,5	36	14	20	*	35	30	5	62	497	90	12,85	
FVR 112	80	100	125	160	200	250	315	-	30	42,5	43	16	22	*	40	35	6	72	680	112	16,00	
FVR 140	80	100	125	160	200	250	315	400	35	47,5	48	18	26	*	45	45	6	80	855	140	20,00	
FVR 180	-	100	125	160	200	250	315	400	45	61,5	63	20	30	*	50	50	8	100	1230	180	25,71	
FVR 250	-	-	125	160	200	250	315	400	55	72	73	26	36	*	60	55	8	114	1870	250	35,71	
FVR 315	-	-	-	160	200	250	315	400	65	86	87	30	42	*	70	60	10	133	2580	315	45,00	
FVR 400	-	-	-	160	200	250	315	400	70	96	97	32	44	*	70	65	12	151	3070	400	57,14	
Dle DIN 8167 • nach DIN 8167 • to DIN 8167 • согласно DIN 8167																						
MR 56	-	63	80	100	125	160	200	250	24	33	33,3	10,0	15	*	30	20	4,0	72	330	56	8,00	
MR 80	-	80	100	125	160	200	250	315	28	39	39,4	12,0	18	*	35	25	5,0	86	468	80	11,42	
MR 112	-	80	100	125	160	200	250	315	32	45	45,5	15,0	21	*	40	35	6,0	101	675	112	16,00	
MR 160	-	100	125	160	200	250	315	-	37	52	52,5	18,0	25	*	50	40	7,0	117	936	160	22,85	
MR 224	-	125	160	200	250	315	400	-	43	60	60,6	21,0	30	*	60	44	8,0	134	1260	224	32,00	
MR 315	-	-	160	200	250	315	400	-	48	70	70,7	25,0	36	*	70	50	10,0	154	1750	315	45,00	
MR 450	-	200	250	315	400	500	630		56	82	82,8	30	42	*	80	55	12,0	185	1750	450	64,28	


* Rozměr možno upravit

* Abmessung kann angepasst werden

* The dimension may be adjusted

* Размер можно модифицировать

Redlerové řetězy
Kratzerförderketten
Scraper chains
Цепи для скребковых транспортеров



Tov. ozn. Betr. Nr. Firm no. Зав. обозн.	Obj. čís. Art. Nr. Part no. Код для заказа	p mm	b ₁ mm min.	b ₂ mm max.	b ₃ mm min.	d ₁ mm	d ₂ mm	F mm	g mm	h mm	s mm	I ₂ mm max.	f mm ²	F _B kN min.	F _A kN
MR01-16	318 631 15 16 12	150	32,5	45,5	46,0	16	22	145	40	27,5	6	73,0	728	112	16
MR01-26	318 631 15 16 05	150	63,0	76,0	76,5	16	22	245	40	27,5	6	103,5	1216	112	16
MR01-32	318 631 15 16 13	150	63,0	76,0	76,5	16	22	305	40	27,5	6	103,5	1216	112	16
MR01-36	318 631 15 16 14	150	63,0	76,0	76,5	16	22	345	40	27,5	6	103,5	1216	112	16
MR01-40	318 631 15 16 18	150	63,0	76,0	76,5	16	22	385	40	27,5	6	103,5	1216	112	16

Tov. ozn. Betr. Nr. Firm no. Зав. обозн.	Obj. čís. Art. Nr. Part no. Код для заказа	p mm	b ₁ mm min.	b ₂ mm max.	b ₃ mm min.	d ₁ mm	d ₂ mm	F mm	g mm	h mm	s mm	I ₂ mm max.	f mm ²	F _B kN min.	F _A kN
RT 160	318 631 15 16 12	150	32,5	45,5	46,0	16	22	145	40	27,5	6	73,0	728	112	16,00
RT 260	318 631 15 16 05	150	63,0	76,0	76,5	16	22	245	40	27,5	6	103,5	1216	112	16,00
RT 320	318 631 15 16 13	150	63,0	76,0	76,5	16	22	305	40	27,5	6	103,5	1216	112	16,00
RT 360	-	150	63,0	80,0	80,5	16	22	345	40	27,5	8	111,5	1280	130	18,57
RT 400	-	150	63,0	80,0	80,5	16	22	385	40	27,5	8	111,5	1280	130	18,57



ŘETĚZY VAMBERK spol. s r.o.

Dvořákova 426, 517 54 Vamberk, Česká republika

tel.: +420 494 512 111, fax: +420 494 544 606

e-mail: obchod@retezy-vam.cz

www.retezy-vam.com



ŘETĚZY VAMBERK